# Graphs

- G = (V,E)
- V is the vertex set.
- Vertices are also called nodes and points.
- E is the edge set.
- Each edge connects two different vertices.
- Edges are also called arcs and lines.
- Directed edge has an orientation (u,v).

u → v

# Graphs

- Undirected edge has no orientation (u,v).
   u v
- Undirected graph => no oriented edge.
- Directed graph => every edge has an orientation.

# Undirected Graph

# Directed Graph (Digraph)



#### Applications—Communication Network



• Vertex = city, edge = communication link.

## Driving Distance/Time Map



• Vertex = city, edge weight = driving distance/time.



• Some streets are one way.

# Complete Undirected Graph

Has all possible edges.



Number Of Edges—Undirected Graph

- Each edge is of the form (u,v), u != v.
- Number of such pairs in an n vertex graph is n(n-1).
- Since edge (u,v) is the same as edge (v,u), the number of edges in a complete undirected graph is n(n-1)/2.
- Number of edges in an undirected graph is <= n(n-1)/2.

#### Number Of Edges—Directed Graph

- Each edge is of the form (u,v), u != v.
- Number of such pairs in an n vertex graph is n(n-1).
- Since edge (u,v) is not the same as edge (v,u), the number of edges in a complete directed graph is n(n-1).
- Number of edges in a directed graph is <= n(n-1).</li>



Number of edges incident to vertex. degree(2) = 2, degree(5) = 3, degree(3) = 1

#### Sum Of Vertex Degrees



Sum of degrees = 2e (e is number of edges)

#### In-Degree Of A Vertex



in-degree is number of incoming edges indegree(2) = 1, indegree(8) = 0

#### Out-Degree Of A Vertex



out-degree is number of outbound edges outdegree(2) = 1, outdegree(8) = 2

## Sum Of In- And Out-Degrees

each edge contributes 1 to the in-degree of some vertex and 1 to the out-degree of some other vertex

sum of in-degrees = sum of out-degrees = e,
where e is the number of edges in the
digraph



Graph Operations And Representation



## Sample Graph Problems

- Path problems.
- Connectedness problems.
- Spanning tree problems.

# Path Finding

Path between 1 and 8.



Path length is 20.

#### Another Path Between 1 and 8



Path length is 28.

Example Of No Path



No path between 2 and 9.

#### Connected Graph

- Undirected graph.
- There is a path between every pair of vertices.

## Example Of Not Connected



## Connected Graph Example



## **Connected Components**



## **Connected Component**

- A maximal subgraph that is connected.
  - Cannot add vertices and edges from original graph and retain connectedness.
- A connected graph has exactly 1 component.

# Not A Component



## **Communication Network**



Each edge is a link that can be constructed (i.e., a feasible link).

## **Communication Network Problems**

- Is the network connected?
  - Can we communicate between every pair of cities?
- Find the components.
- Want to construct smallest number of feasible links so that resulting network is connected.

## Strongly connected for a digraph

- For every pair u,v in the graph
  - there is a directed path from u to v and v to u.

## In Class Exercise

• Is this graph a strongly connected one?



## Cycles And Connectedness



Removal of an edge that is on a cycle does not affect connectedness.

#### Cycles And Connectedness



Connected subgraph with all vertices and minimum number of edges has no cycles.



- Connected graph that has no cycles.
- n vertex connected graph with n-1 edges.

# Spanning Tree

- Subgraph that includes all vertices of the original graph.
- Subgraph is a tree.
  - If original graph has n vertices, the spanning tree has n vertices and n-1 edges.

## Minimum Cost Spanning Tree



• Tree cost is sum of edge weights/costs.





Spanning tree cost = 51.

#### Minimum Cost Spanning Tree



Spanning tree cost = 41.

#### A Wireless Broadcast Tree



## **Graph Representation**

- Adjacency Matrix
- Adjacency Lists
  - Linked Adjacency Lists
  - Array Adjacency Lists

## Adjacency Matrix

- 0/1 n x n matrix, where n = # of vertices
- A(i,j) = 1 iff (i,j) is an edge



	1	2	3	4	5
1	0	1	0	1	0
2	1	0	0	0	1
3	0	0	0	0	1
4	1	0	0	0	1
5	0	1	1	1	0

#### **Adjacency Matrix Properties**



•Diagonal entries are zero.

•Adjacency matrix of an undirected graph is symmetric.

•A(i,j) = A(j,i) for all i and j.

## Adjacency Matrix (Digraph)



•Diagonal entries are zero.

•Adjacency matrix of a digraph need not be symmetric.

## Adjacency Matrix

- n<sup>2</sup> bits of space
- For an undirected graph, may store only lower or upper triangle (exclude diagonal).
  - (n-1)n/2 bits
- O(n) time to find vertex degree and/or vertices adjacent to a given vertex.

#### Adjacency Lists

- Adjacency list for vertex i is a linear list of vertices adjacent from vertex i.
- An array of n adjacency lists.



aList[1] = (2,4)aList[2] = (1,5)aList[3] = (5)aList[4] = (5,1)aList[5] = (2,4,3)

## Linked Adjacency Lists

• Each adjacency list is a chain.



Array Length = n # of chain nodes = 2e (undirected graph) # of chain nodes = e (digraph)

## Array Adjacency Lists

• Each adjacency list is an array list.



Array Length = n

# of list elements = 2e (undirected graph)

# of list elements = e (digraph)

## Weighted Graphs

- Cost adjacency matrix.
  - C(i,j) = cost of edge (i,j)
- Adjacency lists => each list element is a pair (adjacent vertex, edge weight)

## Number Of C++ Classes Needed

- Graph representations
  - Adjacency Matrix
  - Adjacency Lists
    - Linked Adjacency Lists
    - ➢Array Adjacency Lists
  - 3 representations
- Graph types
  - Directed and undirected.
  - Weighted and unweighted.
  - 2 x 2 = 4 graph types
- 3 x 4 = 12 C++ classes

#### Homework

• Section 6.1 Exercise 2,3,4 @P339